

Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

Penetone® ET Page: 1 of 7

Date Prepared: September 24, 2019

SDS No.: 2221

# **SECTION 1: IDENTIFICATION**

Product name: Penetone ET

Recommended use: Cleaning, degreasing

**Physcial Description:** Clear yellow/amber liquid with mild odor **Generic Ingredients:** Water, solvent, surfactants, coupling agents

Manufacturer:Business Contact:Penetone CorporationCustomer Service

125 Kingsland Ave. 800-631-1652 x2602 or 2272

Clilfton, NJ 07014 Product Safety

800-631-1652 or 201-567-3000 800-631-1652 x2211 or 2257

Emergency Phone Numbers: PENETONE 201-567-3000 CHEMTREC 800-424-9300

# **SECTION 2: HAZARDS IDENTIFICATION**

## **GHS CLASSIFICATION:**

Health: Skin irritation: 2 Eye irritation: 2A Physical: not classified

## **WARNING!**

Causes Skin Irritation.
Causes Serious Eye Irritation.



# **Precautionary Statements:**

## Prevention:

Wear protective gloves, clothing, eye protection, and face protection.

Wash hands and exposed skin thoroughly after handling.

## Response:

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

## **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	CAS#	Concentration Wt% (1)
Water	7732-18-5	30-50
C <sub>10-16</sub> fatty acid methyl esters	67762-40-7	15-30
Monoethanolammonium dodecylbenzene sulfonate	26836-07-7	5-10
1-propoxy-2-propanol	1569-01-3	5-10
C <sub>11</sub> alcohol ethoxylate with 5 moles E. O.	34298-01-1	3-10
Dipropylene glycol	25765-71-8	1-5
Iminodisuccinate, sodium salt	144538-83-0	1-5
Linoleic diethanolamide	68511-39-7	<1
Sodium coco imidazoline dicarboxylate	68298-20-4	<1

(1) Exact percentages being withheld under trade secret provision of OHSA HCS 1910.1200(I)



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

Penetone® ET

Page: 2 of 7

Date Prepared: September 24, 2019

SDS No.: 2221

## **SECTION 4: FIRST-AID MEASURES**

#### **General Description of Symptoms & First-Aid Measures**

Most likely work-place exposure routes will be skin contact or inhalation.

For *skin contact*, typically no immediate effects will be observed. A slight tingling sensation might be felt some time after exposure. Slight reddening or minor irritation could also develop if product is not quickly washed off.

*Inhalation* exposure may produce varied effects. Typical symptoms could include coughing, sneezing, and a tingling sensation in the nose, throat, and lungs.

#### Eves

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists or develops: Get medical advice or attention. Penetone recommends that after any eye exposure a physician be seen immediately.

#### Ingestion

If swallowed: Rinse mouth. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

#### Inhalation

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

#### Skin

If on skin: Wash with plenty of water or a mild soap. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

#### Special Treatment / Other

None

## **SECTION 5: FIRE FIGHTING MEASURES**

## Flammable Properties

Classification: Non-flammable Flash Point: None-to-boil

Autoignition Temperature: Not applicable

Lower Flammable Limit: Not applicable Upper Flammable Limit: Not applicable

#### Specific Hazards

Product is water based and presents no unusual fire hazards.

#### Extinguishing Media

Use extinguishing agents appropriate for controlling surrounding fire.

Unsuitable: None.

## **Protection & Precautions for Firefighters**

**Protective Equipment & Clothing:** Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will only provide limited protection.

**Fire Fighting Guidance:** Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do it safely. Dike fire control water for later disposal; do not scatter material. Containers can expand and explode under fire conditions due to vapor buildup. Always stay away from containers engulfed in fire.



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

Penetone® ET

Page: 3 of 7

Date Prepared: September 24, 2019

SDS No.: 2221

Hazardous Combustion Products: Smoke, fumes, and oxides of carbon and nitrogen when taken to dryness.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Land Spill

Stop leak if you can do it safely. For small spills, use absorbent material such as towels or absorbent powders. Put all material into proper waste disposal container with lid tightly covered. **Solvent soaked materials may spontaneously combust.** For larger spills, dike spill, recover free liquid, and use absorbent material to dry area. Put all material into appropriate waste containers.

#### Water Spill

Remove product from water surface by skimming or with suitable absorbents. This product contains surfactants which will cause it to disperse in water. Localized high concentrations of this product may cause fish kills, but no persistent or long term effects will result. Check with local environmental regulatory agencies for reporting requirements.

See SECTION 8 for EXPOSURE CONTROLS and PERSONAL PROTECTION.

## **SECTION 7: HANDLING & STORAGE**

#### Handling

Avoid contact with eyes, skin and clothing. After handling, always wash hands thoroughly with soap and water. Avoid personal contact with any residue. Do not cut, weld, or reuse empty container.

#### Storage

Keep container tightly closed when not in use. Do not store near strong acids or bases. Do not store in direct sunlight. Avoid storing above 120°F (49°C).

## SECTION 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

### **Engineering Controls**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

#### **Personal Protection**

<u>Inhalation</u> A respiratory protection program that meets OSHA's 29 CFR 1910.134 or ANSI Z88.2 requirements must be followed whenever workplace conditions warrant respirator use. Use of a general purpose particulate mask or respirator with particulate filter is recommended.

<u>Skin</u> Wear chemical resistant gloves such as: rubber, nitrile, neoprene, or latex when skin contact is possible. Protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn depending on how the product is used. PPE should be cleaned thoroughly after each use.

<u>Eyes</u> Penetone recommends always wearing safety glasses as a minimum in any workplace. Conditions may warrant the use of chemical goggles and possibly a face shield. Consult your standard operating procedure or safety professional for advice. Use protective eye and face devices that comply with ANSI Z87.1-1987.

## **Additional Remarks**

Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

Penetone® ET Page: 4 of 7

Date Prepared: September 24, 2019

SDS No.: 2221

**Occupational Exposure Limits** 

<u>Component Name</u> <u>Source</u> <u>Value</u> <u>Type</u> <u>Notation</u>

No OELs have been established for any of the components

## **SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

Appearance: clear yellow/amber liquid

Odor: mild

Odor Threshold: not determined

pH: about 9

Melting Point / Freezing: about 32°F

Boiling Point / Boiling Point Range: about 212°F

Flash Point: none to boil

**Evaporation Rate:** equal to water **Flammability:** not applicable

Lower Flammable Limit: not applicable Upper Flammable Limit: not applicable Explosive Properties: not applicable Vapor Pressure: equal to water Relative Vapor Density: >1 Relative Density: 0.97

Solubility (Water): emulsifies

Partition Coefficient (K<sub>ow</sub>): not determined Auto-ignition temperature: not determined Decomposition temperature: not determined Viscosity: 10-30 centipoise at room temperature

# **SECTION 10: STABILITY & REACTIVITY**

#### Reactivity

Product is not reactive, but if strong acids or bases are added, heat will be generated which could cause splattering.

# **Chemical Stability**

Stable.

#### **Hazardous Reactions**

None.

## **Conditions to Avoid**

Do not store near strong oxidizing agents, acids or bases.

## **Incompatible Materials**

Strong oxidizing agents, acids or bases.

## **Hazardous Decomposition Products**

Oxides of carbon, nitrogen, and sulfur when taken to dryness and burned.

# West Penetone

# **SAFETY DATA SHEET**

Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

Penetone® ET

Page: 5 of 7

Date Prepared: September 24, 2019

SDS No.: 2221

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **Product Summary**

Based upon ingredient data, product is non-toxic by oral and dermal routes exposure. Based upon ingredient information, product is expected to cause skin irritation and to cause serious eye irritation.

#### **Acute Toxicity:**

**Dermal:** >5,000 mg/kg rabbit (estimated from additivity formula)

Inhalation: no data available

Oral: >5,000 mg/kg rat (estimated from additivity formula)

### Skin Corrosion/Irritation

Causes skin irritation. Based upon component data.

#### Serious Eye Damage/Irritation

Causes serious eye irritation. Based upon component data.

#### Sensitization - Respiratory or Skin

Not expected to be a skin or respiratory sensitizer. Based upon component data.

## **Germ Cell Mutagenicity**

No data available. Not expected to be mutagenic based upon partial component information and comparison to structurally similar compounds.

## Carcinogenicity

Does not contain components considered carcinogenic. Not expected to be carcinogenic based upon partial component information and comparison to structurally similar compounds

## **Developmental/Reproductive Toxicitty**

No data available.

No effects were seen in male/female rats in a 2 generation reproductive toxicity study of the ethoxylated alchohol surfactant used in this product

## Specific Target Organ Effects - Single Exposure

No data available.

### Specific Target Organ Effects - Repeated or Prolonged Exposure

No data available.

For the ethoxylated alcohol surfactant used in this product, repeat dose 90 day oral sub-chronic NOAEL in male/female rats was >500 mg/kg/d and >400 mg/kg/d, while a 90 day dermal sub-chronic NOAEL was >125 mg/kg/d for male/female rats.

#### **Aspiration Hazard**

Based on components, product not expected to be aspiration hazard.

## SECTION 12: ECOLOGICAL INFORMATION

## **Product Summary**

Product is expected to be harmful to fish, aquatic invertebrates, algae, and microorganisms. (Acute aquatic toxicity category 3 by European Union classification).

#### **Ecotoxicity**

Fish: LC50 about 30 mg/l (estimated using additivity formula)

Invertebrates: EC50 about 19 mg/l (estimated using additivity formula)



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

Penetone® ET Page: 6 of 7

Date Prepared: September 24, 2019

SDS No.: 2221

Algae: ErC50 about 20 mg/l (estimated using additivity formula)

## Persistence and Degradability

Product components considered readily biodegradable.

#### **Bioaccumulative Potential**

Product not considered bioaccumulative

## Mobility in soil

No soil mobility data available.

#### Other Adverse Effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

Product is a nonhazardous waste under RCRA definitions. Dispose of contents/container in accordance with all applicable federal, state, and local regulations.

<u>Note:</u> Contaminated product, soil, water, container residues and spill cleanup materials may be hazardous wastes. Appropriate hazardous waste designation is the responsibility of the user.

## **SECTION 14: TRANSPORT INFORMATION**

ID No.: Not applicable, nonhazardous material

Proper Shipping Name: Not applicable Hazard Class: Not applicable Packing Group: Not applicable

Label:NoneMarine Pollutant:NoRQ:NoneSpecial Precautions:None

# **SECTION 15: REGULATORY INFORMATION**

#### **TSCA**

The ingredients in this product are listed on the TSCA inventory.

#### **RCRA HAZARD CLASS**

Nonhazardous waste

SARA 311/312 REPORTABLE HAZARD CATEGORIES: Immediate (Acute) Health

## **REPORTING REQUIREMENTS** (all quantities in pounds)

Component	CAS / 313 Code	Section 302 (EHS) TPQ	Section 304 EHS RQ	CERCLA RQ	Section 313	CAA 112(r) TQ	CWA / OPA	
no component is subject to reporting requirements								



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

Penetone® ET

Page: 7 of 7

Date Prepared: September 24, 2019

SDS No.: 2221

#### **NEW JERSEY RIGHT-TO-KNOW INFORMATION**

This product contains water (CAS# 7732-18-5), C<sub>10-16</sub> fatty acid methyl esters (CAS# 67762-40-7), Monoethanolammonium dodecylbenzene sulfonate(CAS# 26836-07-7), 1-propoxy-2-propanol (CAS# 1569-01-3), and C<sub>11</sub> alcohol ethoxylate (CAS# 34298-01-1).

### **CALIFORNIA PROPOSITION 65 INFORMATION**

This product does not contain any chemicals recognized by the state of California to cause cancer and/or birth defects or reproductive harm.

#### **SCAQMD INFORMATION**

Is there a photochemically reactive material present? No What is the % by volume of photochemically reactive material? 0 What is the VOC content? 87 g/L What is the vapor pressure of VOC's? Less than 0.1mm Hg Record keeping requirements for applications listed under Rule 1171 may not apply

## **SECTION 16: OTHER INFORMATION**

REVISION SUMMARY Change in Section 1			SUPERSEDES ISSUE DATE June 2, 2016			
HAZARD RATING SYSTEMS:						
	HMIS	NFPA	KEY			
HEALTH	1	1	4 = Severe			
FLAMMABILITY	1	1	3 = Serious			
REACTIVITY	0	0	2 = Moderate			
	В		1 = Slight			
			0 = Minimal			

FOR ADDITIONAL PRODUCT INFORMATION, CONTACT YOUR SALES ENGINEER FOR ADDITIONAL HEALTH/SAFETY INFORMATION, CALL 201-567-3000

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCURATE TO THE BEST OF PENETONE'S KNOWLEDGE. THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.